

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((shift<in>metadata) <or> (rotat<in>metadata))<and> (exclusively base..."

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key



Indicates full text access

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((shifting<in>metadata) <or> (rotating<in>metadata))<and> (instructio..."

Your search matched 1 of 1436708 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((shifting<in>metadata) <or> (rotating<in>metadata))<and> (instruction length<in>

Search ☐ Check to search only within this results set

Display Format:

☒ Citation☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items[Select All](#) [Deselect All](#)**1. Micro-operation cache: a power aware frontend for variable instruction length ISA**

Solomon, B.; Mendelson, A.; Orenstien, D.; Almog, Y.; Ronen, R.;

Low Power Electronics and Design, International Symposium on, 2001.

6-7 Aug. 2001 Page(s):4 - 9

Digital Object Identifier 10.1109/LPE.2001.945363

[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) IEEE CNF[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((shift<in>metadata) <or> (rotate<in>metadata))<and> (instruction len..."

Your search matched 1 of 1436708 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:

☒ Citation☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items[Select All](#) [Deselect All](#)1. **Micro-operation cache: a power aware frontend for variable instruction length ISA**

Solomon, B.; Mendelson, A.; Orenstien, D.; Almog, Y.; Ronen, R.;


[Low Power Electronics and Design, International Symposium on, 2001.](#)

6-7 Aug. 2001 Page(s):4 - 9

Digital Object Identifier 10.1109/LPE.2001.945363

[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE CNF[Rights and Permissions](#)

Indexed by

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE